

WEST

Freeform Search

Database:

Term:

Display: **Documents in Display Format:** **Starting with Number**

Generate: Hit List Hit Count Side by Side Image

Search History

DATE: Tuesday, December 16, 2003 [Printable Copy](#) [Create Case](#)

Set Name **Query**

side by side

DB=USPT; PLUR=YES; OP=OR

		Hit Count	Set Name
<u>L3</u>	('5861274' '5686596')[PN]	2	<u>L3</u>
<u>L2</u>	L1 and (peroxisome adj proliferator adj activated adj receptor or "ppar" or "PPAR" or peroxisome adj proliferator adj activator adj receptor)	45	<u>L2</u>
<u>L1</u>	@pd<19990622	6359204	<u>L1</u>

END OF SEARCH HISTORY

WEST

Freeform Search

Database: US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term: @pd<20000622 and (peroxisome adj proliferator adj activated adj receptor or "ppar" or "PPAR" or peroxisome adj proliferator adj activator adj receptor)

Display: 10 Documents in Display Format: CIT Starting with Number 1

Generate: Hit List Hit Count Side by Side Image

Search History

DATE: Tuesday, December 16, 2003 [Printable Copy](#) [Create Case](#)

Set Name **Query**
side by side

Hit Count **Set Name**
result set

DB=USPT; PLUR=YES; OP=OR

<p><u>L4</u> @pd<20000622 and (peroxisome adj proliferator adj activated adj receptor or "ppar" or "PPAR" or peroxisome adj proliferator adj activator adj receptor)</p> <p><u>L3</u> ('5861274' '5686596')[PN]</p> <p><u>L2</u> L1 and (peroxisome adj proliferator adj activated adj receptor or "ppar" or "PPAR" or peroxisome adj proliferator adj activator adj receptor)</p> <p><u>L1</u> @pd<19990622</p>	88 2 45 6359204	<u>L4</u> <u>L3</u> <u>L2</u> <u>L1</u>
--	--------------------------	--

END OF SEARCH HISTORY

WEST

Freeform Search

Database:

US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term:

@pd<20000622 and (peroxisome adj proliferator adj activated adj receptor or "ppar" or "PPAR" or peroxisome adj proliferator adj activator adj receptor)

Display:

10 Documents in Display Format: CIT Starting with Number 1

Generate: Hit List Hit Count Side by Side Image

[Search](#) [Clear](#) [Help](#) [Logout](#) [Interrupt](#)

[Main Menu](#) [Show S Numbers](#) [Edit S Numbers](#) [Preferences](#) [Cases](#)

Search History

DATE: Tuesday, December 16, 2003 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side


Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=OR

L4	@pd<20000622 and (peroxisome adj proliferator adj activated adj receptor or "ppar" or "PPAR" or peroxisome adj proliferator adj activator adj receptor)	88	L4
L3	('5861274' '5686596')[PN]	2	L3
L2	L1 and (peroxisome adj proliferator adj activated adj receptor or "ppar" or "PPAR" or peroxisome adj proliferator adj activator adj receptor)	45	L2
L1	@pd<19990622	6359204	L1

END OF SEARCH HISTORY



Entrez	PubMed	Nucleotide	Protein	Genome	Structure	PMC	Journals	Books
Search	PubMed	<input type="text" value="for"/> <input type="button" value="Search"/>				Go	Clear	
		Units	Protein Function	History	Chromosome	Databases		
		<input type="button" value="Display"/>	<input type="button" value="Abstract"/>	<input type="button" value="Show: 20"/> <input type="button" value="Sort"/>		<input type="button" value="Send to"/>	<input type="button" value="Text"/>	<input type="button" value="Print"/>

1: Mol Ther. 2002 Aug;6(2):265-71.

[Related Articles](#), [Links](#)

Entrez PubMed



Efficient gene regulation by PPAR gamma and thiazolidinediones in skeletal muscle and heart.

Darteil R, Wang M, Latta-Mahieu M, Caron A, Mahfoudi A, Staels B, Thuillier V.

Gencell, 13 quai Jules Guesde, Vitry sur Seine, 94403, France.

We have developed a new gene regulation system for gene therapy. This system consists of two expression cassettes; one expresses the human peroxisome proliferator-activated receptor gamma (PPAR gamma), and the other expresses the therapeutic gene under the control of multiple peroxisome proliferator-activated receptor (PPAR) response elements (PPREs) linked to a basal promoter. Using direct injection of plasmid DNA into skeletal muscle or myocardium of rodents and oral administration of clinically approved PPAR gamma activators, we demonstrate that reporter gene expression can be induced more than 25-fold. We show that oral administration of PPAR gamma activator at intervals separated by several months results in repeated pulses of high-level reporter gene expression. We also document a PPAR gamma activator dose-response effect on reporter gene expression. This is the first report of a gene regulation system that makes use of a human transcription factor and that may be safer than chimeric transcription factors for human gene therapy.

PMID: 12161194 [PubMed - indexed for MEDLINE]


<input type="button" value="Display"/>	<input type="button" value="Abstract"/>	<input type="button" value="Show: 20"/> <input type="button" value="Sort"/>		<input type="button" value="Send to"/>	<input type="button" value="Text"/>	<input type="button" value="Print"/>
--	---	---	--	--	-------------------------------------	--------------------------------------

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)



Entrez	PubMed	Nucleotide	Protein	Genome	Structure	PMC	Journals	Books
Search	PubMed	<input style="width: 150px; height: 20px; margin-bottom: 5px;" type="text" value="▼ for"/> <div style="display: flex; justify-content: space-between; width: 100%;"> Timeline Previous edition History Character Details </div> <div style="display: flex; justify-content: space-between; width: 100%;"> Display Citation Show: 20 Sort Send to Text </div>						

1: Mol Ther. 2002 Aug;6(2):265-71.

[Related Articles](#), [Links](#)

Entrez PubMed

Efficient gene regulation by PPAR gamma and thiazolidinediones in skeletal muscle and heart.

Darteil R, Wang M, Latta-Mahieu M, Caron A, Mahfoudi A, Staels B, Thuillier V.

Gencell, 13 quai Jules Guesde, Vitry sur Seine, 94403, France.

We have developed a new gene regulation system for gene therapy. This system consists of two expression cassettes; one expresses the human peroxisome proliferator-activated receptor gamma (PPAR gamma), and the other expresses the therapeutic gene under the control of multiple peroxisome proliferator-activated receptor (PPAR) response elements (PPREs) linked to a basal promoter. Using direct injection of plasmid DNA into skeletal muscle or myocardium of rodents and oral administration of clinically approved PPAR gamma activators, we demonstrate that reporter gene expression can be induced more than 25-fold. We show that oral administration of PPAR gamma activator at intervals separated by several months results in repeated pulses of high-level reporter gene expression. We also document a PPAR gamma activator dose-response effect on reporter gene expression. This is the first report of a gene regulation system that makes use of a human transcription factor and that may be safer than chimeric transcription factors for human gene therapy.

MeSH Terms:

- Animals
- Female
- Gene Expression Regulation/drug effects*
- Genes, Reporter
- Heart/drug effects
- Human
- Kinetics
- Luciferase/genetics
- Male
- Mice
- Mice, Inbred C57BL
- Mice, SCID
- Muscle, Skeletal/drug effects
- Muscle, Skeletal/metabolism

- Myocardium/metabolism
- Rats
- Rats, Sprague-Dawley
- Receptors, Cytoplasmic and Nuclear/agonists
- Receptors, Cytoplasmic and Nuclear/metabolism*
- Support, Non-U.S. Gov't
- Support, U.S. Gov't, P.H.S.
- Thiazoles/pharmacology*
- Thiazolidinediones*
- Transcription Factors/agonists
- Transcription Factors/metabolism*

Substances:

- Receptors, Cytoplasmic and Nuclear
- Thiazoles
- Thiazolidinediones
- Transcription Factors
- peroxisome proliferator-activated receptor
- rosiglitazone
- Luciferase

Grant Support:

- M01 RR00047/RR/NCRR
- M01RR00102/RR/NCRR
- P01 HL51746-06A1/HL/NHLBI
- R01 HL 59861/HL/NHLBI
- U01 HL 66952-01/HL/NHLBI

PMID: 12161194 [PubMed - indexed for MEDLINE]

Display	Citation	▼ Show: 20	▼ Sort	▼ Send to:	Text	▼
---------	----------	------------	--------	------------	------	---

[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act | Disclaimer](#)

=> dis his

(FILE 'HOME' ENTERED AT 19:17:29 ON 16 DEC 2003)

FILE 'MEDLINE' ENTERED AT 19:17:34 ON 16 DEC 2003

L1 1081 S PPAR AND GAMMA
L2 7 S L1 AND GENE(W)REGULATION
L3 5 S L2 AND 1970<=PY<=2000

FILE 'MEDLINE, BIOSIS, EMBASE, CAPLUS, SCISEARCH, WPIDS' ENTERED AT 19:19:25 ON 16 DEC 2003

L4 63 S L3
L5 5 DUP REM L3 (0 DUPLICATES REMOVED)
L6 42 DUP REM L4 (21 DUPLICATES REMOVED)

=> dis 16 1-42 ibib ab

L6 ANSWER 1 OF 42 CAPLUS COPYRIGHT 2003 ACS on STN
ACCESSION NUMBER: 2000:772790 CAPLUS
DOCUMENT NUMBER: 133:330487
TITLE: Genes regulated by ligands for the peroxisome proliferator activated receptor **gamma**. and their used in screening for new ligands
INVENTOR(S): Gould-Rothberg, Bonnie
PATENT ASSIGNEE(S): Curagen Corporation, USA
SOURCE: PCT Int. Appl., 85 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000065091	A2	20001102	WO 2000-US10757	20000421 <--
WO 2000065091	A3	20020912		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
PRIORITY APPLN. INFO.:			US 1999-130821P	P 19990423
			US 2000-546038	A 20000410

AB Disclosed are methods of identifying ligands for the peroxisome proliferator activated receptor **gamma** (**PPAR**.
gamma.) using differential gene expression. Also disclosed are novel nucleic acid sequences whose expression is differentially regulated by **PPAR**.
gamma. ligands.

L6 ANSWER 2 OF 42 CAPLUS COPYRIGHT 2003 ACS on STN
ACCESSION NUMBER: 2000:752997 CAPLUS
DOCUMENT NUMBER: 134:291030
TITLE: Transcriptional activation of the human ucpl gene in a rodent cell line. Synergism of retinoids, isoproterenol, and thiazolidinedione is mediated by a multipartite response element
AUTHOR(S): Del Mar Gonzalez-Barroso, Maria; Pecqueur, Claire; Gelly, Chantal; Sanchis, Daniel; Alves-Guerra,

=> dis his

(FILE 'HOME' ENTERED AT 19:17:29 ON 16 DEC 2003)

FILE 'MEDLINE' ENTERED AT 19:17:34 ON 16 DEC 2003
L1 1081 S PPAR AND GAMMA
L2 7 S L1 AND GENE(W) REGULATION
L3 5 S L2 AND 1970<=PY<=2000

FILE 'MEDLINE, BIOSIS, EMBASE, CAPLUS, SCISEARCH, WPIDS' ENTERED AT
19:19:25 ON 16 DEC 2003
L4 63 S L3
L5 5 DUP REM L3 (0 DUPLICATES REMOVED)
L6 42 DUP REM L4 (21 DUPLICATES REMOVED)


FILE 'MEDLINE' ENTERED AT 19:41:06 ON 16 DEC 2003
L7 1924 S PPAR
L8 1 S L7 AND INDUCIBLE(W) EXPRESSION

FILE 'MEDLINE, BIOSIS, EMBASE, CAPLUS, SCISEARCH, WPIDS' ENTERED AT
19:41:56 ON 16 DEC 2003
L9 14 S L8
L10 8 DUP REM L9 (6 DUPLICATES REMOVED)

=> dis l10 1-8 ibib ab

L10 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2003 ACS on STN DUPLICATE 1
ACCESSION NUMBER: 2003:118019 CAPLUS
DOCUMENT NUMBER: 138:164730
TITLE: **Inducible expression systems**
employing PPAR transcriptional activators
with modified zinc finger P box and corresponding
response elements
INVENTOR(S): Darteil, Raphaël
PATENT ASSIGNEE(S): Aventis Pharma S.A., Fr.
SOURCE: PCT Int. Appl., 60 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003012113	A2	20030213	WO 2002-EP9416	20020801
WO 2003012113	A3	20030918		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1288303	A1	20030305	EP 2001-120270	20010823
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
PRIORITY APPLN. INFO.:		US 2001-309189P	P	20010802
		EP 2001-120270	A	20010823



NCBI

PubMed

National Library of Medicine NLM

Entrez PubMed Nucleotide Protein Genome Structure PMC Journals Books

Search PubMed for [] Go Clear

Display Abstract Show: 20 Sort Send to Text

Entrez PubMed

 1: Ann N Y Acad Sci. 1996 Dec 27;804:373-86.

Related Articles, Links

The peroxisome proliferator-activated receptor: transcriptional activation of the CYP4A6 gene.

Johnson EF, Palmer CN, Hsu MH.

PubMed Services

Scripps Research Institute, Department of Molecular and Experimental Medicine, La Jolla, California 92037, USA.

PMID: 8993557 [PubMed - indexed for MEDLINE]

Display Abstract Show: 20 Sort Send to Text

Related Resources

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Last Update: 11/11/2019

8